


Forces in Two Dimensions Exam Questions

Q1, (OCR 4728, Jan 2008, Q3)

Two horizontal forces **X** and **Y** act at a point *O* and are at right angles to each other. **X** has magnitude 12 N and acts along a bearing of 090° . **Y** has magnitude 15 N and acts along a bearing of 000° .

- (i) Calculate the magnitude and bearing of the resultant of **X** and **Y**. [6]
 - (ii) A third force **E** is now applied at *O*. The three forces **X**, **Y** and **E** are in equilibrium. State the magnitude of **E**, and give the bearing along which it acts. [2]
-


Q2, (OCR 4728, Jun 2009, Q1)



Two perpendicular forces have magnitudes x N and $3x$ N (see diagram). Their resultant has magnitude 6 N.

- (i) Calculate x . [3]
 - (ii) Find the angle the resultant makes with the smaller force. [3]
-

Q3, (OCR 4728, Jun 2012, Q1)



Two perpendicular forces of magnitudes F N and 8 N act at a point *O* (see diagram). Their resultant has magnitude 17 N.

- (i) Calculate F and find the angle which the resultant makes with the 8 N force. [4]

A third force of magnitude E N, acting in the same plane as the two original forces, is now applied at the point *O*. The three forces of magnitudes E N, F N and 8 N are in equilibrium.

- (ii) State the value of E and the angle between the directions of the E N and 8 N forces. [2]
-

Q4, (OCR 4761, Jun 2005, Q3)

A particle rests on a smooth, horizontal plane. Horizontal unit vectors \mathbf{i} and \mathbf{j} lie in this plane. The particle is in equilibrium under the action of the three forces $(-3\mathbf{i} + 4\mathbf{j})\text{N}$ and $(21\mathbf{i} - 7\mathbf{j})\text{N}$ and $\mathbf{R}\text{N}$.

(i) Write down an expression for \mathbf{R} in terms of \mathbf{i} and \mathbf{j} . [2]

(ii) Find the magnitude of \mathbf{R} and the angle between \mathbf{R} and the \mathbf{i} direction. [4]

Q5, (OCR 4761, Jan 2006, Q3)

A force \mathbf{F} is given by $\mathbf{F} = (3.5\mathbf{i} + 12\mathbf{j})\text{N}$, where \mathbf{i} and \mathbf{j} are horizontal unit vectors east and north respectively.

(i) Calculate the magnitude of \mathbf{F} and also its direction as a bearing. [3]

(ii) \mathbf{G} is the force $(7\mathbf{i} + 24\mathbf{j})\text{N}$. Show that \mathbf{G} and \mathbf{F} are in the same direction and compare their magnitudes. [2]

(iii) Force \mathbf{F}_1 is $(9\mathbf{i} - 18\mathbf{j})\text{N}$ and force \mathbf{F}_2 is $(12\mathbf{i} + q\mathbf{j})\text{N}$. Find q so that the sum $\mathbf{F}_1 + \mathbf{F}_2$ is in the direction of \mathbf{F} . [2]

Q6, (OCR 4761, Jan 2008, Q2i,ii) [Modified]

The force acting on a particle of mass 1.5 kg is given by the vector $\begin{pmatrix} 6 \\ 9 \end{pmatrix}\text{N}$.

(i) Give the acceleration of the particle as a vector. [2]

(ii) Calculate the angle that the acceleration makes with the direction $\begin{pmatrix} 1 \\ 0 \end{pmatrix}$. [2]

Q7, (OCR 4761, Jun 2008, Q2)

A particle has a position vector \mathbf{r} , where $\mathbf{r} = 4\mathbf{i} - 5\mathbf{j}$ and \mathbf{i} and \mathbf{j} are unit vectors in the directions east and north respectively.

(i) Sketch \mathbf{r} on a diagram showing \mathbf{i} and \mathbf{j} and the origin O . [1]

(ii) Calculate the magnitude of \mathbf{r} and its direction as a bearing. [4]

(iii) Write down the vector that has the same direction as \mathbf{r} and three times its magnitude. [1]

Q8, (OCR 4761, Jan 2012, Q5)

The vectors \mathbf{p} and \mathbf{q} are given by

$$\mathbf{p} = 8\mathbf{i} + \mathbf{j} \text{ and } \mathbf{q} = 4\mathbf{i} - 7\mathbf{j}.$$

(i) Show that \mathbf{p} and \mathbf{q} are equal in magnitude. [3]

(ii) Show that $\mathbf{p} + \mathbf{q}$ is parallel to $2\mathbf{i} - \mathbf{j}$. [2]

(iii) Draw $\mathbf{p} + \mathbf{q}$ and $\mathbf{p} - \mathbf{q}$ on a set of axes.

Write down the angle between these two vectors. [3]

Q9, (OCR 4761, Jun 2014, Q2)

The unit vectors \mathbf{i} and \mathbf{j} shown in Fig. 2 are in the horizontal and vertically upwards directions.




Fig. 2

Forces \mathbf{p} and \mathbf{q} are given, in newtons, by $\mathbf{p} = 12\mathbf{i} - 5\mathbf{j}$ and $\mathbf{q} = 16\mathbf{i} + 1.5\mathbf{j}$.

- (i) Write down the force $\mathbf{p} + \mathbf{q}$ and show that it is parallel to $8\mathbf{i} - \mathbf{j}$. [3]
- (ii) Show that the force $3\mathbf{p} + 10\mathbf{q}$ acts in the horizontal direction. [2]
- (iii) A particle is in equilibrium under forces $k\mathbf{p}$, $3\mathbf{q}$ and its weight \mathbf{w} .
Show that the value of k must be -4 and find the mass of the particle. [3]
-